Index to volume 74

Author index

A

Abraham E, 324
Abrahams E, 386
Ackerman M, 185
Ackland J, 848
Adkinson NF Jr, 473, 567
Agarwal MK, 687
Albergo R, 26
Alcover R, 782
Anand AC, Subramanian AR, 7 (Abst.)
Anderson WA, Elam MD, Lambert WC, 24 (Abst.)
Arlian LG, 166, 172
Asad S, Kemeny D, Youlten L, Frankland A, Lessof M, 26 (Abst.)
Assem ESK, Bray K, Dawson P, 4 (Abst.)
Atkins PC, 819
Austen KF, 369

B

Bach MK, 353
Badier M, 713
Bailey JM, 412
Baker JW, 252
Baldo BA, 132, 142
Bancroft WH, 808
Banks WA, 841
Barde SH, 494, 694
Basten A, 132, 142
Beaumont F, 741, 835
Befus AD, 499
Bernhard JD, Jaenicke K, Khosnow Momtaz T, Parrish JA, 10 (Abst.)
Bernstein DI, 258, 794
Bernstein IL, 22, 166, 172, 258, 794
Bessot JC, 524
Bewtra AK, 154
Bienenstock J, 499
Bierman CW, 701
Bigot H, 524
Blecher M, 246
Bloch KJ, 482
Bloch M, 482
Borgeat P, 310
Borish L, 104
Bottini E, 81
Bourne HR, 728
Braquet P, 310
Brash AR, 316
Brashler JR, 353
Breslin AX, Jenkins CR, 16 (Abst.)
Broekman MJ, 338
Brown JK, 728
Brune J, 719
Burge HA, 64
Busse WW, 787

C

Capron A, 827
Carapella E, 81
Cartier A, 261
Casale TB, 812
Casselbrant M, 185
Chan SC, 252
Charon J, 827
Chesrown SE, 728
Chester EH, 511
Claire-Dorval P, 437
Clark TJH, 683

July, pp. 1-108; August, pp. 109-208; September (part 1), pp. 209-308; September (part II), pp. 309-448; October (part 1), pp. 449-548; October (part II), 549-644; November, pp. 645-754; December, 755-882. Abstracts: July, pp. 1-4; August, pp. 5-6; September, pp. 7-10; October, pp. 11-14; November, pp. 15-20; December, pp. 21-26.

Clay KL, 363
Clayton WF, 694
Cohen GA, O'Connor RD, Hamburger RN, 13 (Abst.)
Cohn Z, 386
Cooper P, 49
Cordier G, 719
Cramer EB, 386
Creticos PS, Peters P, Adkinson FNJ, Naclerio RM, Hayes EC, Norman PS, Lichtenstein LM, 19 (Abst.)
Crimi E, Scordamaglia A, Crimi P, Zupo S, Barocci S, 11 (Abst.)
Cromwell O, 49
Cropp GJA, 505
Cushley MJ, 302

D

Dahlén S-E, 358
Dahlquist I, Fregert S, Trulson L, 9 (Abst.)
Dalton N, 683
D'Amato G, Schiano M, Cocco G, Melillo G, 25 (Abst.)
Dawson KP, Ferguson DM, West J, Wynne C, Sadler W, 10 (Abst.)
de Monchy JGR, 240, 835
de Vries K, 240, 741, 835
DeHaven RN, 378
del Carpio J, 270
Delaume G, 524
Delgado E, 782
Dempster WS, 514
deShazo RD, 841
Derer MM, 85
DeSwarte RD, 209
Diaz P, 41
Dirksen H, 536
Dominguez J, 782
D'Souza L, 794
du Plessis JME, 514
Dubois J-Y, 261
Durham SR, 49
Dvorak HF, 841

E

Eckels KH, 808
Eichberg JW, 61
Ekborg SL, 412
Engler RJ, 79
Ennis M, Ind PW, Pearce FL, Dollery CT, 3 (Abst.)
Esau S, 270

F

Falchuk ZM, 72
Ferguson AC, 678
Field M, 382
Findlay SR, 104, 230
Fink JN, 1
Fireman P, 185
Fish JE, Newball HH, Norman PS, Peterman VI, 21 (Abst.)
Ford-Hutchinson AW, 437
Foreman JC, 127
Forest F, 261
Fornaris M, 713
Fowler AA III, 777
Franklin B, 781
Fraser CM, 227, 661
Frey MJ, 728
Friday G, 185
Friedman R, 185
Frost H, 85
Fruteau de Laclos B, 310
Fujimoto WY, 391
Furukawa M, 349

G

Gallagher JS, 166, 172, 258, 794
Galleguillos FR, 41
Geha RS, 109
Geis DP, 166, 172
Georgitis JW, 494, 694
Gerblich AA, Campbell AE, Schuyler MR, 7 (Abst.)
Ginsberg MH, 275
Giustina TA, 252
Gleich GJ, Schroeter AL, Marcoux JP, Sachs MI, O'Connell EJ, Kohler PF, 18 (Abst.)
Gleiser CA, 61
Goetzl EJ, 309, 373, 382, 403
Gold WM, 728
Goldman DW, 373
Goldstein RA, 643
Goldyne ME, 331
Gonzalez MC, 41
Goodman MG, 418
Gordon J, 85
Gorman RR, 338
Gosset P, 827
Grad M, 258
Graft DF, Schuberth KC, Kagey-Sobotka A, Kwiterovich KA, Niv Y, Lichtenstein LM, Valentine MD, 13 (Abst.)
Grammer LC, 544, 635
Greenberger PA, 68, 540, 600, 645, 738
Greenspon LW, 728
Griffing C, 841
Groth S, 536
Guillot C, 713

H

Habenicht HA, 64
Hahn BH, Ebling FM, 9 (Abst.)
Halsey JF, 190
Halwig JM, 738
Hamill A, 324
Hammarström S, 358
Hanifin JM, 252
Hansbrough J, Peterson V, Zapata-Sirvent R, Claman H, 17 (Abst.)
Harf A, 291
Harrison R, Tattersfield A, 15 (Abst.)
Haverly RW, 205
Hébert J, 310
Hedqvist P, 358
Heese H De V, 514
Hicks JM, 246
Hierlwimmer UR, 79
Hindi-Alexander MC, 505
Hinojosa M, 782
Hirth C, 524
Ho SWC, Berlin LV, 1 (Abst.)
Hoffman DR, 93
Holgate ST, 302
Hong H Jr, Tashkin DP, Simmons MS, Calvarese B, Shapiro BJ, 14 (Abst.)
Hopp RJ, 154
Hordle DA, 524
Horie T, 349
Hsieh K-H, 34

I

Islam N, 338
Ito K, 802

J

Jacobs RL, 61
Jaffe HW, Frances DP, McLane MF, Cabradilla C, Curran JW, Kilbourne BW, Lawrence DN, Haverkos HW, Spira TJ, Dodd RY, Gold J, Armstrong D, Ley A, Groopman J, Mullins J, Lee TH, Essex M, 18 (Abst.)
Jenkins H, Pincott JR, Soothill JF, Milla PJ, Harries JT, 18 (Abst.)
Jensen JR, Sand TT, Joregensen AS, Thestrup-Pederson K, 17 (Abst.)
Jick H, 555
Johansson B, 85
Johnson E, Gold M, 3 (Abst.)
Jones DT, Flannery EM, Sears MR, 8 (Abst.)
Jones RR, Bhogal B, Dash, A, Schifferli J, 23 (Abst.)
Joseph M, 827
Josephs S, 246

K

Kaliner M, 812
Kamatani N, 707
Kanao K, 489
Kaplan AP, 573
Katz AJ, 72
Katzenstein A-L, 180
Kauffman HF, 240, 741, 835
Kay AB, 41, 49
Keller M, Kidd R, Reisinger D, Stewart D, 23 (Abst.)
Kennedy RC, Melnick JL, Dreesman GR, 2 (Abst.)
Keyzer JJ, 240
Keyzer-Udding JJ, 240
Khansari N, Whitten HD, Fudenberg HH, 26 (Abst.)
King CM, Bech M, 12 (Abst.)
Kluskens LE, 280
Koepke J, Christopher K, Chai H, Seiner J, 8 (Abst.)
Kragballe K, 426
Krause RM, 553
Krillis S, 132, 142
Kudo K, 296
Kuehl FA Jr, 378
Kwan TH, 841

L

Lafrance M, 261
Larson RA, 280
Laviolette M, 310
Leary HL Jr, 190
Lee TDG, 499
Lee TH, 49
—Nagakura T, Papageorgiou N, Inkura Y, Kay AB, 1 (Abst.)

—Wraith DG, Bennett CI, Bentley AP, 5 (Abst.)
Lefebvre R, 719
Leitermann K, 147
Leitermann KM, 230
Lerch WH, 514
Levine L, 430
Levine M, 738
Lewis RA, 369, 755
Lewis S, 246
Leznoff A, Josse RG, Denburg J, Dolovich J, 21 (Abst.)
Lhoste F, 291
Lichtenstein LM, 473
Losada E, 782
Lucarelli P, 81
Lucarini N, 81
Lundberg JM, 358
Lux GK, 61

M

Maas RL, 316
McGinnis JM, 551
MacGlashan DW Jr, 473
Machado L, Stalenheim G, 14 (Abst.)
McKenzie D, 514
Macquin I, 291
Macri F, 81
Mallart A, 827
Malo J-L, 261
Mann JS, 302
Mansfield LE, 205
Marcus AJ, 338
Marone G, Columbo M, Poto S, Condorelli M, 4 (Abst.)
Martin JG, 270
Martinez F, 81
Mathews KP, 558
Matloff SM, 104
Mauriello PM, 494
Merrett J, 49
Merrett TG, 49
Metz SA, 391
Miescher S, 85
Migliorisi G, 386
Miller RL, 382
Miyamoto T, 296, 707, 802
Mondloch VM, 180
Moneo I, 782
Moore VL, 180
Morita Y, 296, 707, 802
Morne JF, 719
Morton DR Jr, 353
Moss R, Babin S, Hsu Y, Biessing-Moore J, Lewiston N, 25 (Abst.)
Muilenberg ML, 64
Murphy RC, 363
Murray HW, Rubin BY, Masur H, Roberts RB, 9 (Abst.)
Musch MW, 382
Mygind N, 536

N

Naclerio R, 473
Nagano T, 489
Nair NM, 154
Nicholls AJ, 544
Nishida Y, 707
Nordind K, 17 (Abst.)

O

Oates JA, 316
Oglesby TD, 338
Ohman JL Jr, 147, 230
Orehek J, 713

P

Pages J, 719
Pantin CFA, 41
Parker CW, 343
Parkman P, 552
Patterson R, 68, 540, 544, 635, 641, 643, 738
Pauli G, 524
Pawlowski NA, 324, 386
Payan DG, 403
Peck RE, 353
Pennoyer DS, 580
Perry RP, 482
Peters SP, 473
Peterson MW, 787
Petheram I, 701
Picard S, 310
Piotrwoski W, 127
Piper PJ, 441
Platts MM, 544
Pologe L, 386
Pong S-S, 378
Prin L, 827
Proud D, 473

R

Rabinovitch H, 310
Rachelefsky G, Katz R, Siegel S, 24 (Abst.)
Radin RC, 540
Rasmussen JE, 771
Reed BR, 728
Reed CE, 687
Reem GH, Ning-Hsing Y, 16 (Abst.)
Reisman RE, 494, 694
Revillard JP, 719
Ricketti AJ, 68
Roberts M, 544
Robertson RP, 391
Rogers RJ, 201
Ronchetti R, 81
Rubin A, Alroy G, Spitzer S, 11 (Abst.)
Rubin RL, 631
Russell PK, 808

S

Saarinen UM, 196
Sabatier C, 291
Safier LB, 338
Salinas FA, 678
Salvaggio JE, 781
Sampson HA, 26
Schatz M, 606
Schleimer RP, 473
Schnurrenberger P, Dreesen D, 24 (Abst.)
Schwartz HJ, 511
Schwartz LB, 777
Scott RMcN, 808
Scott WA III, 309
Scott WA, 324, 386
Scully C, Yap P, Boyle P, 2 (Abst.)
Seaman WE, 407
Serhan CN, 338
Shanahan F, 499
Shaw RJ, 49
Sheffer AL, 580
Shelton AL, 808
Shields RL, 728
Sidman CL, Marshall JD, 12 (Abst.)
Silver RB, Ginsburg CM, 19 (Abst.)
Simon RA, 469, 623
Slavin RG, 17
Sluiter HJ, 741, 835
Sogn DD, 589
Solomon WR, 64, 449, 674
Sonin L, Patterson R, 15 (Abst.)
Sorrell TC, 338
Spielvogel RL, 61
Spiro SG, 701
St-Aubin J-J, 261
Stevenson DD, 269
Stevenson DL, 617
Stewart GA, 848
Strunk RC, 201
Sugai T, 489
Suko M, 802
Sullivan TJ, 159, 594
Summers RJ, 808
Super M, 514
Sutton R, 132
Suzuki S, 802
Swanson MC, 687
Szefler SJ, 201

T

Takaishi T, 296
Tal A, Aasterkamp H, Serrette C, Leahy F, Chernick V, 5 (Abst.)
Talbot SF, 819
Tan EM, 631
Tencati JR, Novey HS, 2 (Abst.)
Tharp MD, 159
Thiel ML, 252
Thierry R, 524
Thirlby R, 159
Ting S, 205
Tonnel AB, 827
Townley RG, 154
Turner C, 683
Twarog FJ, 72

U

Uehara M, Miyauchi H, Tanaka S, 22 (Abst.)
Ullman HL, 338

V

Valenzano M, 819
Van Der Woude FJ, Hoedemaeker PJ, Van Der Giessen M, De Graeff PA, De Monchy J, The Th, Van Der Hem GK, 6 (Abst.)
Vanderhoek JY, 412
Venter JC, 227, 661
Vergnon JM, 719
Voorhees JJ, 426
Vyszenski-Moher DL, 166, 172

W

Wald E, 185
Walker WA, 482

Warren JB, 683
Wasserman SI, 275
Watanabe-Kohno S, 349
Weissmann G, 338
Westcott JY, 363
Whittingham S, Feery B, Mackay I, 3 (Abst.)
Wiegle WO, 418
Wilson BD, 180
Wood CL, 93
Woodcock J, 407
Worth N, 430
Wypych JI, 694

X

Xiao-Ying H, 358

Y

Yachnin S, 280
Yamamoto S, 349
Yamauchi N, 802
Yoshimoto T, 349
Yunginger J, 687

Z

Zaloga GP, 79
Zeiger RS, 72
Zerah F, 291
Zolla-Pazner S, William D, El-Sadr W, Marmor M, Stahl R, 22 (Abst.)
Zweiman B, 819

Subject Index

A

Acid anhydride compounds, heterogeneity of specific-IgE responses in workers sensitized to (Bernstein DI et al), 794
  levels, serum uric, theophylline increases (Morita Y et al), 707
Acknowledgment to reviewers, 862
Acquired immune deficiency syndrome, β_2-microglobulin and other immune characteristics in prospective study of men at risk for, quantitation of, 22 (Abst.)
Activators, membrane-directed versus intracellular, effects on: regulation of B-lymphocyte proliferative responses by arachidonate metabolites (Goodman MG and Wiegle WO), 418
Activity, antigen-binding, feeding of antigen reduces and blunts secondary response of actively immunized rats (Bloch KJ et al), 482
Additives, drug, adverse reactions to (Simon RA), 623
Adenosine as bronchoconstrictor mediator in asthma and its antagonism by methylxanthines (Holgate ST et al), 302 (Brief communication)
  deaminase phenotypes: genetic basis for heterogeneity of asthma syndrome in pediatric ages (Ronchetti R et al), 81
Adrenergic, alpha$_1$, receptors, demonstration that circulating human blood cells have no detectable, by radioligand binding analysis (Casale TB and Kaliner M), 812
Aerobiology by pollinosis (Solomon WR), 449 (CME article)
Aerosol, allergen carriage by atmospheric. II. Ragweed-pollen determinants in submicronic atmospheric fractions (Habenicht HA et al), 64
  and cromoglycate powder 4 hr before exercise, comparison of: exercise-induced asthma, 8 (Abst.)
  challenge with antigen, modulation of pulmonary inflammation by long-term. Hypersensitivity pneumonitis in rabbits (Wilson BD et al), 180
  pressurized, and in powder form in allergen-induced asthma, double-blind crossover study on protective effect of, 25 (Abst.)
  treatment of asthma in adults using sodium cromoglycate pressurized: double-blind controlled trial, 11 (Abst.)
Aerosolized metabisulfite, bronchospastic responses to, in asthmatic subjects: potential mechanisms and clinical implications (Schwartz HJ and Chester EH), 511
African maple *(Triplochiton scleroxylon)* wood dust, asthma caused by (Hinojosa M et al), 782
AIDS, transfusion-associated: serologic evidence, of human T cell leukemia virus infection of donors, 18 (Abst.)
Air, cold, hyperventilation, response to, in normal and in asthmatic children, 5 (Abst.)
Airway disease, associated reactive, disease in children, chronic sinus disease with, 24 (Abst.)
  function in asthmatic subjects, novel effects of PGF_2 on, 21 (Abst.)
  response to inhaled histamine in nonasthmatic subjects, protective effect of circulating epinephrine within physiologic range on (Warren JB et al), 683
    to inhaled salbutamol in hyperthyroid and hypothyroid patients before and after treatment, 15 (Abst.)
  responsiveness, decreased, to histamine in gold salt–treated guinea pigs (Yamauchi N et al), 802

Albumin, human serum, ethylene oxide-altered, IgE against, in patients who have had acute dialysis reactions (Grammer LC et al), 544
Allergen(s), airborne ragweed: association with various particle sizes and short ragweed plant parts (Agarwal MK et al), 687
  and antigens from common house dust mite *Dermatophagoides pteronyssinus*. Part I. Demonstration of multiple allergens by immunochemical and biologic analyses (Krilis S et al), 132
    antigens from common house dust mite *Dermatophagoides pteronyssinus*. Part II. Identication of major IgE-binding antigens by crossed radioimmunoelectrophoresis (Krilis S et al), 142
  histamine in atopic asthmatic subjects, comparison of effects of ketotifen and clemastine on cutaneous and airway reactivity to (Esau S et al), 270
  mitogen after hyposensitization in asthmatic children, changes of lymphoproliferative responses of T cell subsets to (Hsieh K-H), 34
  carriage by atmospheric aerosol. II. Ragweed-pollen determinants in submicronic atmospheric fractions (Habenicht HA et al), 64
  DPT 12, mite, in whole-mite extracts, quantitation and thermal stability of (Ackland J and Stewart GA), 848
  in Hymenoptera venom XI. Isolation of protein allergens from *Vespula maculifrons* (yellow jacket) venom (Hoffman DR and Wood CL), 93
  induced asthma, double-blind crossover study on protective effect of fenoterol administered by pressurized aerosol and in powder form in, 25 (Abst.)
    bronchial-obstructive reactions, urinary N'-methylhistamine during early and late (Keyzer JJ et al), 240
    late-phase asthmatic reactions, immunologic studies in (Durham SR et al), 49
  1, cat: biochemical, antigenic, and allergenic properties (Leitermann K and Ohman JL), 147
  pollen, uncovering the "fine details" of (Solomon WR), 674 (Editorial)
  protein, from *Vespula maculifrons* (yellow jacket) venom. Allergens in Hymenoptera venom XI (Hoffman DR and Wood CL), 93
Allergic asthma and macrophage-derived chemotactic factors (Fowler AA and Schwartz LB), 777 (Editorial)
  bronchopulmonary aspergillosis, experience with: some unusual features, 16 (Abst.)
    immunologic studies in bronchoalveolar fluid in patient with (Kauffman HF et al), 835
  reactions, systemic, following immunization with HDCV, 24 (Abst.)
  responses, late cutaneous, in humans, correlations of in vivo mediator release with. I. Kinetics of histamine release (Talbot SF et al), 819
"Allergies that could have changed history (Unger DL), 547 (Correspondence)
Alpha$_1$-adrenergic receptors, demonstration that circulating human blood cells have no detectable, by radioligand binding analysis (Casale TB and Kaliner M), 812
Alveolar macrophages from asthmatic patients, secretion of chemotactic factor for neutrophils and eosinophils by (Gosset P et al), 827
Analyses, immunochemical and biologic, demonstration of multiple allergens by. Part I. Antigens and allergens from common house dust mite *Dermatophagoides pteronyssinus* (Krilis S et al), 132

July, pp. 1-108; August, pp. 109-208; September (Part 1), pp. 209-308; September (part II), pp. 309-448; October (Part 1), pp. 449-548; October (part II), pp. 549-644; November, pp. 645-754; December, pp. 755-882. Abstracts: July, pp. 1-4; August, pp. 5-6; September, pp. 7-10; October, pp. 11-14; November, pp. 15-20; December, pp. 21-26.

Analyses —cont'd
radioligand binding, demonstration that circulating human blood cells have no detectable alpha$_1$-adrenergic receptors by (Casale TB and Kaliner M), 812
Anaphylaxis following psyllium ingestion (Zaloga GP et al), 79
local ocular, to papain enzyme contained in contact lens cleansing solution (Bernstein DI et al), 258
Anesthetics, local, skin testing and incremental challenge in evaluation of adverse reactions to (Schatz M), 606
Angioedema and urticaria, chronic, association of, with thyroid autoimmunity, 21 (Abst.)
episodic, associated with eosinophilia, 18 (Abst.)
Angiitis, hypersensitivity, caused by fumes from heat-activated photocopy paper (1983), 2 (Abst.)
Anhydride compounds, acid, heterogeneity of specific-IgE responses in workers sensitized to (Bernstein DI et al), 794
Antagonists, calcium, and histamine secretion from rat peritoneal mast cells, 3 (Abst.)
calmodulin, inhibition of histamine release from human basophils in vitro by, 4 (Abst.)
Ants, fire, imported, dermal hypersensitivity reactions to (deShazo RD et al), 841
Antibody(ies), anti-idiotypic, to anti-DNA, suppression of murine lupus nephritis by administration of, 9 (Abst.)
anti-receptor, in human disease (Fraser CM and Venter JC), 661 (Postgraduate course)
Antibody to hepatitis B virus induced by injecting antibodies to idiotype, 2 (Abst.)
Antibiotic class, beta lactam, review of reactions to drugs not in: allergic reactions to antimicrobial agents (Sullivan TJ), 594
Antigenic and allergenic properties of storage mite *Tyrophagus putrescentiae* (Arlian LG et al), 166
Antigen(s) and allergens from common house dust mite *Dermatophagoides pteronyssinus*. Part I. Demonstration of multiple allergens by immunochemical and biologic analyses (Krilis S et al), 132
and allergens from common house dust mite *Dermatophagoides pteronyssinus*. Part II. Identification of major IgE-binding antigens by crossed radioimmunoelectrophoresis (Krilis S et al), 142
-binding activity, feeding of antigen reduces and blunts the secondary response of actively immunized rats (Bloch KJ et al), 482
challenge, peptide leukotriene release after, in patients sensitive to ragweed, 19 (Abst.)
feeding of, reduces antigen-binding activity and blunts secondary response of actively immunized rats (Bloch KJ et al), 482
food, play role in pathogenesis of some cases of human glomerulonephritis, do? 6 (Abst.)
modulation of pulmonary inflammation by long-term aerosol challenge with. Hypersensitivity pneumonitis in rabbits (Wilson BD et al), 180
-specific immune complexes in food-allergy patients, an assay to measure (Leary HL and Halsey JF), 190
Antigenic bronchial provocation in asthmatics, changes in T-lymphocyte subpopulations after, 7 (Abst.)
Anti-inflammatory drugs, nonsteroidal, and aspirin, diagnosis, prevention, and treatment of adverse reactions to (Stevenson DL), 617
-receptor antibodies in human disease (Fraser CM and Venter JC), 661 (Postgraduate course)
microbial agents, allergic reactions to: review of reactions to drugs not in beta lactam antibiotic class (Sullivan TJ), 594
Aphthous stomatitis, recurrent, IgE and IgD concentrations in patients with, 2 (Abst.)
Arachidonate metabolites, regulation of B-lymphocyte proliferative responses by: effects on membrane-directed versus intracellular activators (Goodman MG and Wiegle WO), 418
Arachidonic acid by 5-lipoxygenase, evolution and future horizons of research on metabolism of (Piper PJ), 441
during cell-cell interactions, production of metabolic products of (Marcus AJ et al), 338
human and murine natural killer cell activity may require lipoxygenation of (Seaman WE and Woodcock J), 407
metabolism, its effects on, by cells in culture: eicosapentaenoic acid (Levine L and Worth N), 430
modulation of epidermal cell division and growth by oxygenation products of (Kragballe K and Voorhees JJ), 426
oxygenation products of: third messengers for insulin release (Metz SA et al), 391
regulation of epithelial electrolyte transport by metabolites of (Field M et al), 382
Arachidonate 5-lipoxygenase and its new inhibitors (Yamamoto S et al), 349
Aspergillosis, allergic bronchopulmonary (Greenberger PA), 645 (CME article)
experience with: some unusual features, 16 (Abst.)
immunologic observations in sera of patient with, by means of enzyme-linked immunosorbent assay (Kauffman HF et al), 741
studies in bronchoalveolar fluid in patient with (Kauffman HF et al), 835
recurrence of, after seven years of remission (Halwig JM et al), 738
serum IgE as important aid in management of (Ricketti AJ et al), 68
Aspirin and nonsteroidal anti-inflammatory drugs, diagnosis, prevention, and treatment of adverse reactions to (Stevenson DL), 617
effect of, in "aspirin-sensitive" patients, 26 (Abst.)
Assay, dot immunobinding, application of, to allergy diagnosis (Derer MM et al), 85
Asthma, acute, and antidiuretic hormone secretion, 10 (Abst.)
early prediction of need for hospitalization in children with, 19 (Abst.)
allergen-induced, double-blind crossover study on protective effect of fenoterol administered by pressurized aerosol and in powder form in, 25 (Abst.)
allergic, and macrophage-derived chemotactic factors (Fowler AA and Schwartz LB), 777 (Editorial)
and allergy, spotlight on (Adler RJ), 307 (Correspondence)
bacterial sinusitis in children (Friedman R et al), 185
beta-adrenergic receptors, autoantibodies to (Fraser CM and Venter JC), 227 (Editorial)
its antagonsim by methylxanthines, adenosine as bronchoconstrictor mediator in (Holgate ST et al), 302 (Brief communication)
sulfites (Stevenson DD and Simon RA), 469 (Editorial)
associated with N-acetylcysteine infusion and paracetamol poisoning, 1 (Abst.)
beta-blocking autoantibodies in pediatric bronchial (Blecher M et al), 246
bronchoalveolar lavage in: effect of disodium cromoglycate (cromolyn) on leukocyte counts, immunoglobulins, and complement (Diaz P et al), 41
—"something old, something new . . ." (Bernstein IL), 22 (Editorial)
cat-induced, immunotherapy in. Double-blind trial with evaluation of in vivo and in vitro responses (Ohman JL et al), 230
caused by African maple *(Triplochiton scleroxylon)* wood dust (Hinojosa M et al), 782
corticosteroid-dependent, and schizophrenia, 15 (Abst.)
diurnal variations in, 7 (Abst.)

Asthma—cont'd
exercise-induced, characterization of late response in (Bierman CW et al), 701
comparison of cromoglycate powder and aerosol 4 hr before exercise, 8 (Abst.)
occupational, in snow crab–processing workers (Cartier A et al), 261
program, family, evaluation of (Hindi-Alexander MC and Cropp GJ), 505
syndrome in pediatric ages, genetic basis for heterogeneity of: adenosine deaminase phenotypes (Ronchetti R et al), 81
treatment of, in adults using sodium cromoglycate pressurized aerosol: double-blind controlled trial, 11 (Abst.)
Asthmatics, changes in T-lymphocyte subpopulations after antigenic bronchial provocation in, 7 (Abst.)
Atopic asthmatic subjects, comparison of effects of ketotifen and clemastine on cutaneous and airway reactivity to histamine and allergen in (Esau S et al), 270
dermatitis, comparison of results of skin tests, RAST, and double-blind, placebo-controlled food challenges in children with (Sampson HA and Albergo R), 26
increased leukocyte sensitivity to phosphodiesterase inhibitors in: tachyphylaxis after theophylline therapy (Giustina TA et al), 252
recent developments in management of patients with (Rasmussen JE), 771 (Postgraduate course)
disease, modulation of natural killer-cell activity in patients with, 17 (Abst.)
eczema, elevated IgG immune complexes in children with (Ferguson AC and Salinas FA), 678
Atopy and keratosis punctata, 24 (Abst.)
latent, transfer of, by bone marrow transplantation? Case report (Saarinen UM), 196
Autoimmunity, thyroid, association of chronic urticaria and angioedema with, 21 (Abst.)
Aziridine plastic hardener, contact allergy to trimethylolpropane triacrylate (TMPTA) in, 9 (Abst.)
Auranofin, oral chrysotherapeutic agent, inhibits histamine release from human basophils (Takaishi T et al), 297
Autoantibodies, beta-blocking, in pediatric bronchial asthma (Blecher M et al), 246
to beta-adrenergic receptors and asthma (Fraser CM and Venter JC), 227 (Editorial)

B

Bacterial sinusitis and asthma in children (Friedman R et al), 185
Basophils and mast cells, purified human, inflammatory mediators and mechanisms of release from (Schleimer RP et al), 473
human, auranofin, oral chrysotherapeutic agent, inhibits histamine release from (Takaishi T et al), 297
in vitro, inhibition of histamine release from, by calmodulin antagonists, 4 (Abst.)
release of histamine from, by radiological contrast agents, 4 (Abst.)
B cell maturation factor: effects on various cell populations, 12 (Abst.)
Beta-adrenergic receptors and asthma, autoantibodies to (Fraser CM and Venter JC), 227 (Editorial)
-blocking autoantibodies in pediatric bronchial asthma (Blecher M et al), 246
lactam antibiotic class, review of reactions to drugs not in: allergic reactions to antimicrobial agents (Sullivan TJ), 594
-microglobulin and other immune characteristics in prospective study of men at risk for acquired immune deficiency syndrome, 22 (Abst.)
Big brother, big government, big business, big problems—1984 (Slavin RG), 17 (Presidential address)
Biosynthesis of 5- and 15-series leukotrienes, on mechanism of (Brash AR et al), 316
B-lymphocyte proliferative responses, regulation of, by arachidonate metabolites: effects on membrane-directed versus intracellular activators (Goodman MG and Wiegle WO), 418
Blood cells, circulating human, have no detectable alpha$_1$-adrenergic receptors by radioligand binding analysis, demonstration that (Casale TB and Kaliner M), 812
lymphocytes, peripheral, comparison between separation of, on Ficoll-Paque Percoll, or by gravity sedimentation: lymphocyte transformation test in diagnosis of nickel allergy, 17 (Abst.)
Bone marrow transplantation, transfer of latent atopy by? Case report (Saarinen UM), 196
Bronchi, isolated human, spontaneous and provoked resistance to isoproterenol in (Guillot C et al), 713
Bronchial asthma, pediatric, beta-blocking autoantibodies in (Blecher M et al), 246
effects of oral cannabinoids, acute and subacute, 14 (Abst.)
lavage, and bronchoalveolar lavage of asthmatic patients, total and specific IgE in serum, 11 (Abst.)
-obstructive reactions, early and late allergen-induced, urinary N$^{\tau}$-methylhistamine during (Keyzer JJ et al), 240
provocation, antigenic, in asthmatics, changes in T-lymphocyte subpopulations after, 7 (Abst.)
Bronchoalveolar fluid in patient with allergic bronchopulmonary aspergillosis, immunologic studies in (Kauffman HF et al), 835
lavage in asthma: effect of disodium cromoglycate (cromolyn) on leukocyte counts, immunoglobulins, and complement (Diaz P et al), 41
—"something old, something new . . ." (Bernstein IL), 22 (Editorial)
of asthmatic patients, total and specific IgE in serum, bronchial lavage, and, 11 (Abst.)
Bronchoconstriction, carbachol-induced, in normal subjects, plasma histamine and catecholamines during (Macquin I et al), 292
Bronchoconstrictor mediator, adenosine as, in asthma and its antagonism by methylxanthines (Holgate ST et al), 302 (Brief communication)
Bronchopulmonary aspergillosis, allergic (Greenberger PA), 645 (CME article)
experience with: some unusual features, 16 (Abst.)
immunologic observations in sera of patient with, by means of enzyme-linked immunosorbent assay (Kauffman HF et al), 741
studies in bronchoalveolar fluid in patient with (Kauffman HF et al), 835
recurrence of, after seven years of remission (Halwig JM et al), 738
serum IgE as important aid in management of (Ricketti AJ et al), 68
Bronchospasm, dose-dependent, from sulfites in isoetharine, 8 (Abst.)
during pelvic surgery: prostaglandin-kinin pathogenesis? 3 (Abst.)
Budgerigar fancier's lung, 5 (Abst.)

C

Calcium antagonists and histamine secretion from rat peritoneal mast cells, 3 (Abst.)
Calmodulin antagonists, inhibition of histamine release from human basophils in vitro by, 4 (Abst.)
Cannabinoids, oral, acute and subacute bronchial effects of, 14 (Abst.)
Cat allergen 1: biochemical, antigenic, and allergenic properties (Leitermann K and Ohman JL), 147

Cat allergen—cont'd
-induced asthma, immunotherapy in. Double-blind trial with evaluation of in vivo and in vitro responses (Ohman JL et al), 230
Catecholamines and plasma histamine during carbachol-induced bronchoconstriction in normal subjects (Macquin I et al), 292
Carbachol-induced bronchoconstriction in normal subjects, plasma histamine and catecholamines during (Macquin I et al), 292
Cell(s), activity, human and murine natural killer, may require lipoxygenation of arachidonic acid (Seaman WE and Woodcock J), 407
natural killer, modulation of, in patients with atopic disease, 17 (Abst.)
-cell interactions, production of metabolic products of arachidonic acid during (Marcus AJ et al), 338
circulating human blood, have no detectable alpha$_1$-adrenergic receptors by radioligand binding analysis, demonstration that (Casale TB and Kaliner M), 812
epidermal, division and growth, modulation of, by oxygenation products of arachidonic acid (Kragballe K and Voorhees JJ), 426
human cutaneous mast, gastrin induces histamine release from (Tharp MD et al), 159
milk, PPD-induced monocyte chemotactic factor production by, 23 (Abst.)
T, leukemia virus infection of donors, serologic evidence of: transfusion-associated AIDS, 18 (Abst.)
in culture, its effects on arachidonic acid metabolism by: eicosapentaenoic acid (Levine L and Worth N), 430
mast, and basophils, purified human, inflammatory mediators and mechanisms of release from (Schleimer RP et al), 473
mast, rat peritoneal, calcium antagonists and histamine secretion from, 3 (Abst.)
secretion, peritoneal and mucosal, influence of endorphins on (Shanahan F et al), 499
-mediated immunity by immunomodulating drugs, restoration of. II. Postburn immunosuppression in animal model, 17 (Abst.)
use of tetanus toxoid for testing, 3 (Abst.)
populations, effects on various: B cell maturation factor, 12 (Abst.)
Challenge(s), antigen, peptide leukotriene release after, in patients sensitive to ragweed, 19 (Abst.)
cold, of patients with cold urticaria, release of platelet factor 4 into blood after (Wasserman SI and Ginsberg MH), 275
double-blind, placebo-controlled, skin tests, and RAST, in children with atopic dermatitis, comparison of results of (Sampson HA and Albergo R), 26
incremental, and skin testing, in evaluation of adverse reactions to local anesthetics (Schatz M), 606
ionophore A23187, eosinophil-rich human polymorphonuclear leukocyte preparations characteristically release leukotriene C_4 on (Borgeat P et al), 310
long-term aerosol, with antigen, modulation of pulmonary inflammation by. Hypersensitivity pneumonitis in rabbits (Wilson BD et al), 180
methacholine inhalation, in normal and asthmatic children, specificity and sensitivity of (Hopp RJ et al), 154
oral, with ispaghula suspension, respiratory symptoms in ispaghyla-allergic nurses after, 14 (Abst.)
Chemoluminescence response, human polymorphonuclear leukocyte, influenza A virus enhances, without effecting inhibition by trifluoperazine (Peterson MW and Busse WW), 787
Chemotactic activity, neutrophil, exercise-induced late asthmatic reactions with, 1 (Abst.)
Chemotactic activity—cont'd
factors, macrophage-derived, and allergic asthma (Fowler AA and Schwartz LB), 777 (Editorial)
production, PPD-induced monocyte, by human milk cells, 23 (Abst.)
secretion of, for neutrophils and eosinophils by alveolar macrophages from asthmatic patients (Gosset P et al), 827
Chrysotherapeutic agent, oral, auranofin, inhibits histamine release from human basophils (Takaishi T et al), 297
Chymopapain and insulin: proteins (Grammer LC and Patterson R), 635
Clemastine and ketotifen on cutaneous and airway reactivity to histamine and allergen in atopic asthmatic subjects, comparison of effects of (Esau S et al), 270
Colitis, infantile, major cause of: food allergy, 18 (Abst.)
Complement, leukocyte counts, and immunoglobulins, effect of disodium cromoglycate (cromolyn) on: bronchoalveolar lavage in asthma (Diaz P et al), 41
Complexes, antigen-specific immune, in food-allergy patients, an assay to measure (Leary HL and Halsey JF), 190
elevated IgG immune, in children with atopic eczema (Ferguson AC and Salinas FA), 678
Concentrations, IgE and IgD, in patients with recurrent aphthous stomatitis, 2 (Abst.)
Contact allergy to trimethylolpropane triacrylate (TMPTA) in aziridine plastic hardener, 9 (Abst.)
urticaria, allergic, caused by raw prawns and shrimps: three cases (Nagano T et al), 489
Continuum of histologic and immunopathologic changes: urticaria and vasculitis, 23 (Abst.)
Contrast agents, radiological, release of histamine from human basophils by, 4 (Abst.)
media, radiographic, two pretreatment regimens for high-risk patients receiving (Greenberger PA et al), 540
reactions (Greenberger PA), 600
Corticosteroid-dependent asthma and schizophrenia, 15 (Abst.)
Cromoglycate powder and aerosol 4 hr before exercise, comparison of: exercise-induced asthma, 8 (Abst.)
Cross antigenic and allergenic properties of house dust mite *Dermatophagoides farinae* and storage mite *Tyrophagus putrescentiae* (Arlian LG et al), 172
Culture, its effects on arachidonic acid metabolism by cells in: eicosapentaenoic acid (Levine L and Worth N), 430
Cutaneous allergic responses, late, in humans, correlations of in vivo mediator release with. I. Kinetics of histamine release (Talbot SF et al), 819
mast cells, human, gastrin induces histamine release from (Tharp MD et al), 159
Cyclooxygenase and lipoxygenase activities of platelet-depleted human monocytes (Pawlowski NA et al), 324
Cystic fibrosis, allergy to semisynthetic penicillins in, 25 (Abst.)

D

Delayed hypersensitivity skin testing, comparison between streptokinase/streptodornase and streptokinase on (Haverly RW et al), 205
Dermal hypersensitivity reactions to imported fire ants (deShazo RD et al), 841
Dermatitis, atopic, comparison of results of skin tests, RAST, and double-blind, placebo-controlled food challenges in children with (Sampson HA and Albergo R), 26
increased leukocyte sensitivity to phosphodiesterase inhibitors in: tachyphylaxis after theophylline therapy (Giustina TA et al), 252
recent developments in management of patients with (Rasmussen JE), 771 (Postgraduate course)
Dermatophagoides farinae, house dust mite, and storage mite *Tyrophagus putrescentiae*, cross antigenic and allergenic properties of (Arlian LG et al), 172

Dermatophagoides pteronyssinus, antigens and allergens from common house dust mite. Part II. Identification of major IgE-binding antigens by crossed radioimmunoelectrophoresis (Krilis S et al), 142
common house dust mite, antigens and allergens from. Part I. Demonstration of multiple allergens by immunochemical and biologic analyses (Krilis S et al), 132
extract, clinical and immunologic evaluation of tyrosine-adsorbed: double-blind placebo-controlled trial (Pauli G et al), 524
Determinants, molecular, for functional responses to sulfidopeptide leukotrienes: metabolism and receptor subclasses (Lewis RA and Austen KF), 369
ragweed-pollen, in submicronic atmospheric fractions. II. Allergen carriage by atmospheric aerosol (Habenicht HA et al), 64
Dialysis reactions, acute, IgE against ethylene oxide-altered human serum albumin in patients who have had (Grammer LC et al), 544
Disodium cromoglycate (cromolyn), effect of, on leukocyte counts, immunoglobulins, and complement: bronchoalveolar lavage in asthma (Diaz P et al), 41
Diuretic, anti, and acute asthma hormone secretion, 10 (Abst.)
Diurnal variations in asthma, 7 (Abst.)
DNA, anti, suppression of murine lupus nephritis by administration of anti-idiotypic antibody to, 9 (Abst.)
synthetic response of normal and abnormal human lymphocytes to mevalonic acid: role of granulocytes as helper population (Larson RA et al), 280
Dot immunobinding assay, application of, to allergy diagnosis (Derer MM et al), 85
DPT 12, mite allergen, in whole-mite extracts, quantitation and thermal stability of (Ackland J and Stewart GA), 848
Drug abuse and asthmatic patient: case report (Szefler SJ et al), 201
additives, adverse reactions to (Simon RA), 623
allergy–problems and strategies (DeSwarte RD), 209 (CME article)
risk factors for (Adkinson NF), 567
-induced skin disease (Kaplan AP), 573
new, early recognition of allergic reactions to (Patterson R), 641
nonsteroidal anti-inflammatory, and aspirin, diagnosis, prevention, and treatment of adverse reactions to (Stevenson DL), 617
stimulate 15-lipoxygenase/leukotriene pathway in human polymorphonuclear leukocytes (Vanderhoek JY et al), 412
not in beta lactam antibiotic class, review of reactions to: allergic reactions to antimicrobial agents (Sullivan TJ), 594
reactions, adverse: magnitude of problem (Jick H), 555
management of (Sheffer AL and Pennoyer DS), 580
allergic and pseudoallergic, clinical spectrum of (Mathews KP), 558
Dust, wood, African maple *(Triplochiton scleroxylon)*, asthma caused by (Hinojosa M et al), 782

E

Eczema, atopic, elevated IgG immune complexes in children with (Ferguson AC and Salinas FA), 678
Edema, radiographic contrast media-induced noncardiogenic pulmonary: case report and review of literature (Borish L et al), 104 (Case report)
Eicosanoid metabolism of human lymphocytes and monocytes, effects on defining: heterogeneity in leukocyte preparations (Goldyne ME), 331
Eicosapentaenoic acid: its effects on arachidonic acid metabolism by cells in culture (Levine L and Worth N), 430
Electrolyte, epithelial, transport by metabolites of arachidonic acid, regulation of (Field M et al), 382
Endorphins, influence of, on peritoneal and mucosal mast cell secretion (Shanahan F et al), 499
Endothelium and transendothelial migration of neutrophils, effect of leukotrienes on (Cramer EB et al), 386
Enzyme and inhibitor studies with special reference to mode of action of U-60,257, selective inhibitor of leukotriene synthesis, properties of: leukotriene C synthetase, special glutathione S-transferase (Bach MK et al), 353
-linked immunosorbent assay, immunologic observations in sera of patient with allergic bronchopulmonary aspergillosis by means of (Kauffman HF et al), 741
papain, contained in contact lens cleansing solution, local ocular anaphylaxis to (Bernstein DI et al), 258
Eosinophilia, episodic angioedema associated with, 18 (Abst.)
Eosinophilic and milk-sensitive gastroenteropathy: similar clinical features with contrasting mechanisms and clinical course (Katz AJ et al), 72
Eosinophils and neutrophils, secretion of chemotactic factor for, by alveolar macrophages from asthmatic patients (Gosset P et al), 827
Epithelial electrolyte transport by metabolites of arachidonic acid, regulation of (Field M et al), 382
Epidermal cell division and growth, modulation of, by oxygenation products of arachidonic acid (Kragballe K and Voorhees JJ), 426
Epinephrine, protective effect of circulating, within physiologic range on airway response to inhaled histamine in nonasthmatic subjects (Warren JB et al), 683
Ethylene oxide-altered human serum albumin, IgE against, in patients who have had acute dialysis reactions (Grammer LC et al), 544
Ethylenediaminetetraacetic acid-sensitive patients, oral promethazine hydrochloride in, 12 (Abst.)
Evolution and future horizons of research on metabolism of arachidonic acid by 5-lipoxygenase (Piper PJ), 441
Exercise-induced asthma, characterization of late response in (Bierman CW et al), 701
comparison of cromoglycate powder and aerosol 4 hr before exercise, 8 (Abst.)
Extracts, aqueous and allergoid grass, further evaluation of local intranasal immunotherapy with (Georgitis JW et al), 694
tyrosine-adsorbed *Dermatophagoides pteronyssinus*, clinical and immunologic evaluation of: double-blind placebo-controlled trial (Pauli G et al), 524
whole-mite, quantitation and thermal stability of mite allergen DPT 12 in (Ackland J and Stewart GA), 848

F

Factor(s), B cell maturation: effects on various cell populations, 12 (Abst.)
chemotactic, secretion of, for neutrophils and eosinophils by alveolar macrophages from asthmatic patients (Gosset P et al), 827
4, platelet, release of, into blood after cold challenge of patients with cold urticaria (Wasserman SI and Ginsberg MH), 275
macrophage-derived chemotactic, and allergic asthma (Fowler AA and Schwartz LB), 777 (Editorial)
production, PPD-induced monocyte chemotactic, by human milk cells, 23 (Abst.)
risk, for drug allergy (Adkinson NF), 567
Fenoterol administered by pressurized aerosol and in powder form in allergen-induced asthma, double-blind crossover study on protective effect of, 25 (Abst.)
intranasal, in asthmatic subjects: alternative route of administration (Groth S et al), 536
Fire ants, imported, dermal hypersensitivity reactions to (deShazo RD et al), 841
Food allergy: major cause of infantile colitis, 18 (Abst.)
Fractions, submicronic atmospheric, ragweed-pollen determinants in. II. Allergen carriage by atmospheric aerosol (Habenicht HA et al), 64

Fumes from heat-activated photocopy paper (1983), hypersensitivity angiitis caused by, 2 (Abst.)
Fungi, pathogenetic, exposures to, in voluntary hospital (Schwartz HJ et al), 861 (Correspondence)

G

Gamma interferon by human T-lymphocytes, interleukin-2 regulates expression of its receptor and synthesis of, 16 (Abst.)
interferon, immune, and lymphokines in acquired immunodeficiency syndrome, impaired production of, 9 (Abst.)
Glomerulonephritis, human, do food antigens play role in pathogenesis of some cases of? 6 (Abst.)
Glutathione S-transferase, special, leukotriene C synthetase: properties of enzyme and inhibitor studies with special reference to mode of action of U-60,257, selective inhibitor of leukotriene synthesis (Bach MK et al), 353
Granulocytes as helper population, role of: DNA synthetic response of normal and abnormal human lymphocytes to mevalonic acid (Larson RA et al), 280
Grass extracts, aqueous and allergoid, further evaluation of local intranasal immunotherapy with (Georgitis JW et al), 694
Gastrin induces histamine release from human cutaneous mast cells (Tharp MD et al), 159
Gastroenteropathy, milk-sensitive and eosinophilic: similar clinical features with contrasting mechanisms and clinical course (Katz AJ et al), 72
Gold salt–treated guinea pigs, decreased airway responsiveness to histamine in (Yamauchi N et al), 802

H

HDCV, systemic allergic reactions following immunization with, 24 (Abst.)
Hepatitis B virus induced by injecting antibodies to idiotype, antibody to, 2 (Abst.)
Heterogeneity in leukocyte preparations: effects on defining eicosanoid metabolism by human lymphocytes and monocytes (Goldyne ME), 331
of asthma syndrome in pediatric ages, genetic basis for: adenosine deaminase phenotypes (Ronchetti R et al), 81
Histamine and allergen in atopic asthmatic subjects, comparison of effects of ketotifen and clemastine on cutaneous and airway reactivity to (Esau S et al), 270
and peptides release (Foreman JC and Piotrowski W), 127 (Editorial)
decreased airway responsiveness to, in gold salt–treated guinea pigs (Yamauchi N et al), 802
from dog lung, immunologic release of: comparison of in vivo and in vitro responses in same animal (Frey MJ et al), 728
human basophils by radiological contrast agents, release of, 4 (Abst.)
inhaled, in nonasthmatic subjects, protective effect of circulating epinephrine within physiologic range on airway response to (Warren JB et al), 683
plasma, and catecholamines during carbachol-induced bronchoconstriction in normal subjects (Macquin I et al), 292
release from human basophils, auranofin, oral chrysotherapeutic agent, inhibits (Takaishi T et al), 297
in vitro, inhibition of, by calmodulin antagonists, 4 (Abst.)
cutaneous mast cells, gastrin induces (Tharp MD et al), 159
kinetics of. I. Correlations of in vivo mediator release with late cutaneous allergic responses in humans (Talbot SF et al), 819
secretion and calcium antagonists from rat peritoneal mast cells, 3 (Abst.)
Hormone secretion, acute asthma and antidiuretic, 10 (Abst.)
House dust mite *Dermatophagoides farinae* and storage mite *Tyrophagus putrescentiae*, cross antigenic and allergenic properties of (Arlian LG et al), 172
pteronyssinus, common, antigens and allergens from. Part I. Demonstration of multiple allergens by immunochemical and biologic analyses (Krilis S et al), 132
Human and murine natural killer cell activity may require lipoxygenation of arachidonic acid (Seaman WE and Woodcock J), 407
basophils, auranofin, oral chrysotherapeutic agent, inhibits histamine release from (Takaishi T et al), 297
blood cells, circulating, have no detectable alpha$_1$-adrenergic receptors by radioligand binding analysis, demonstration that (Casale TB and Kaliner M), 812
bronchi, isolated, spontaneous and provoked resistance to isoproterenol in (Guillot C et al), 713
cutaneous mast cells, gastrin induces histamine release from (Tharp MD et al), 159
disease, anti-receptor antibodies in (Fraser CM and Venter JC), 661 (Postgraduate course)
glomerulonephritis, do food antigens play role in pathogenesis of some cases of? 6 (Abst.)
hypersensitivity to sham vaccine prepared from mosquito-cell culture fluids (Scott RMcN et al), 808
IgE (Geha RS), 109 (CME article)
pentapeptide, safety and efficacy of, 13 (Abst.)
late cutaneous allergic responses in, correlations of in vivo mediator release with: I. Kinetics of histamine release (Talbot SF et al), 819
lymphocytes and monocytes, effects on defining eicosanoid metabolism by: heterogeneity in leukocyte preparations (Goldyne ME), 331
normal and abnormal, to mevalonic acid, DNA synthetic response of: role of granulocytes as helper population (Larson RA et al), 280
milk cells, PPD-induced monocyte chemotactic factor production by, 23 (Abst.)
monocytes, cyclooxygenase and lipoxygenase activities of platelet-depleted (Pawlowski NA et al), 324
polymorphonuclear leukocyte chemoluminescence response, human, influenza A virus enhances, without effecting inhibition by trifluoperazine. (Peterson MW and Busse WW), 787
eosinophil-rich, preparations characteristically release leukotriene C_4 on ionophore A23187 challenge (Borgeat P et al), 310
nonsteroidal anti-inflammatory drugs stimulate 15-lipoxygenase/leukotriene pathway in (Vanderhoek JY et al), 412
T cell leukemia virus infection of donors, serologic evidence of: transfusion-associated AIDS, 17 (Abst.)
-lymphocytes, interleukin-2 regulates expression of its receptor and synthesis of gamma interferon by, 16 (Abst.)
recognition of leukotriene B_4 by unique subset of (Payan DG and Goetzl EJ), 403
Hymenoptera stings in children, prospective study of natural history of large local reactions after, 13 (Abst.)
venom XI, allergens in. Isolation of protein allergens from *Vespula maculifrons* (yellow jacket) venom (Hoffman DR and Wood CL), 93
Hypersensitivity angiitis caused by fumes from heat-activated photocopy paper (1983), 2 (Abst.)
dermal, reactions to imported fire ants (deShazo RD et al), 841
human, to sham vaccine prepared from mosquito-cell culture fluids (Scott RMcN et al), 808
pneumonitis (Fink JN), 1 (CME article)
activated lung lymphocytes in (Mornex JF et al), 719
in rabbits. Modulation of pulmonary inflammation by long-term aerosol challenge with antigen (Wilson BD et al), 180

Hypersensitivity—cont'd
skin testing, delayed, comparison between streptokinase/streptodornase and streptokinase on (Haverly RW et al), 205
Hyperthyroid and hypothyroid patients before and after treatment, airway response to inhaled salbutamol in, 15 (Abst.)
Hyperventilation, cold air, response to, in normal and in asthmatic children, 5 (Abst.)
Hyposensitization in asthmatic children, changes of lymphoproliferative responses of T cell subsets to allergen and mitogen after (Hsieh K-H), 34
Hypothyroid and hyperthyroid patients before and after treatment, airway response to inhaled salbutamol in, 15 (Abst.)

I

Idiotypic, anti, antibody to anti-DNA, suppression of murine lupus nephritis by administration of, 9 (Abst.)
Idiotype, antibody to hepatitis B virus induced by injecting antibodies to, 2 (Abst.)
IgD and IgE concentrations in patients with recurrent aphthous stomatitis, 2 (Abst.)
IgE against ethylene oxide-altered human serum albumin in patients who have had acute dialysis reactions (Grammer LC et al), 544
and IgD concentrations in patients with recurrent aphthous stomatitis, 2 (Abst.)
-binding antigens, identification of major, by crossed radioimmunoelectrophoresis. Part II. Antigens and allergens from common house dust mite *Dermatophagoides pteronyssinus* (Krilis S et al), 142
human (Geha RS), 109 (CME article)
serum, as important aid in management of allergic bronchopulmonary aspergillosis (Ricketti AJ et al), 68
total and specific, in serum, bronchial lavage, and bronchoalveolar lavage of asthmatic patients, 11 (Abst.)
levels, serum, in rural Namibian infants (Heese HDV et al), 514
pentapeptide, human, safety and efficacy of, 13 (Abst.)
specific, responses, heterogeneity of, in workers sensitized to acid anhydride compounds (Bernstein DI et al), 794
IgG, elevated, immune complexes in children with atopic eczema (Ferguson AC and Salinas FA), 678
Immune characteristics, other, and β_2-microglobulin, quantitation of, in prospective study of men at risk for acquired immune deficiency syndrome, 22 (Abst.)
complexes, antigen-specific, in food-allergy patients, an assay to measure (Leary HL and Halsey JF), 190
elevated IgG, in children with atopic eczema (Ferguson AC and Salinas FA), 678
(GAMMA) interferon and lymphokines in acquired immunodeficiency syndrome, impaired production of, 9 (Abst.)
Immunity, cell-mediated, use of tetanus toxoid for testing, 3 (Abst.)
restoration of, by immunomodulating drugs. II. Postburn immunosuppression in animal model, 17 (Abst.)
Immunization with HDCV, systemic allergic reactions following, 24 (Abst.)
Immunobinding assay, dot, application of, to allergy diagnosis (Derer MM et al), 85
Immunodeficiency syndrome, acquired, impaired production of lymphokines and immune (GAMMA) interferon in, 9 (Abst.)
Immunodepression, phencyclidine-induced, 26 (Abst.)
Immunoglobulins, leukocyte counts, and complement, effect of disodium cromoglycate (cromolyn) on: bronchoalveolar lavage in asthma (Diaz P et al), 41
Immunologic studies in allergen-induced late-phase asthmatic reactions (Durham SR et al), 49
Immunomodulating drugs, restoration of cell-mediated immunity by. II. Postburn immunosuppression in animal model, 17 (Abst.)
Immunosorbent assay, enzyme-linked, immunologic observations in sera of patient with allergic bronchopulmonary aspergillosis by means of (Kauffman HF et al), 741
Immunosuppression, postburn, in animal model. II. Restoration of cell-mediated immunity by immunomodulating drugs, 17 (Abst.)
Immunotherapy, local intranasal, further evaluation of, with aqueous and allergoid grass extracts (Georgitis JW et al), 694
In memorian, 751, 855
Infants, rural Namibian, serum-IgE levels in (Heese HDB et al), 514
Inflammation, pulmonary, modulation of, by long-term aerosol challenge with antigen. Hypersensitivity pneumonitis in rabbits (Wilson BD et al), 180
Influenza A virus enhances human polymorphonuclear leukocyte chemoluminescence response without effecting inhibition by trifluoperazine (Peterson MW and Busse WW), 787
Infusion, N-acetylcysteine, and paracetamol poisoning, asthma associated with, 1 (Abst.)
Inhalation challenge, methacholine, in normal and asthmatic children, specificity and sensitivity of (Hopp RJ et al), 154
Inhibition of histamine release from human basophils in vitro by calmodulin antagonists, 4 (Abst.)
Inhibitor(s) and enzyme studies with special reference to mode of action of U-60,257, selective inhibitor of leukotriene synthesis, properties of: leukotriene C synthetase, special glutathione S-transferase (Bach MK et al), 353
arachidonate 5-lipoxygenase and its new (Yamamoto S et al), 349
phosphodiesterase, in atopic dermatitis, increased leukocyte sensitivity to: tachyphylaxis after theophylline therapy (Giustina TA et al), 252
Insects, stinging, natural history of large local reactions from (Mauriello PM et al), 494
Insulin and chymopapain: proteins (Grammer LC and Patterson R), 635
release, third messengers for: oxygenation products of arachidonic acid (Metz SA et al), 391
Interferon, gamma, by human T-lymphocytes, interleukin-2 regulates expression of its receptor and synthesis of, 16 (Abst.)
(GAMMA), immune, and lymphokines in acquired immunodeficiency syndrome, impaired production of, 9 (Abst.)
Interleukin-2 regulates expression of its receptor and synthesis of gamma interferon by human T-lymphocytes, 16 (Abst.)
Intranasal fenoterol in asthmatic subjects: alternative route of administration (Groth S et al), 536
immunotherapy, local, further evaluation of, with aqueous and allergoid grass extracts (Georgitis JW et al), 694
Ionophore A23187 challenge, eosinophil-rich human polymorphonuclear leukocyte preparations characteristically release leukotriene on (Borgeat P et al), 310
Isoetharine, dose-dependent bronchospasm from sulfites in, 8 (Abst.)
Isoproterenol in isolated human bronchi, spontaneous and provoked resistance to (Guillot C et al), 713
Ispaghula suspension, respiratory symptoms in ispaghyla-allergic nurses after oral challenge with, 14 (Abst.)
Ispaghyla-allergic nurses after oral challenge with ispaghula suspension, respiratory symptoms in, 14 (Abst.)

K

Keratosis punctata and atopy, 24 (Abst.)
Ketotifen and clemastine on cutaneous and airway reactivity to histamine and allergen in atopic asthmatic subjects, comparison of effects of (Esau S et al), 270

Killer cell activity, natural, human and murine, may require lipoxygenation of arachidonic acid (Seaman WE and Woodcock J), 407
-cell activity, natural, modulation of, in patients with atopic disease, 17 (Abst.)
Kinetics of histamine release. I. Correlations of in vivo mediator release with late cutaneous allergic responses in humans (Talbot SF et al), 819

L

Labeling, importance of (Frazier CA), 753 (Correspondence)
Late-phase asthmatic reactions, allergen-induced, immunologic studies in (Durham SR et al), 49
Lavage, bronchoalveolar, in asthma: effect of disodium cromoglycate (cromolyn) on leukocyte counts, immunoglobulins, and complement (Diaz P et al), 41
—"something old, something new . . ." (Bernstein IL), 22 (Editorial)
Leukemia virus, human T cell, infection of donors, serologic evidence of: transfusion-associated AIDS, 18 (Abst.)
Leukocyte(s) chemoluminescence response, human polymorphonuclear, influenza A virus enhances, without effecting inhibition by trifluoperazine (Peterson MW and Busse WW), 787
counts, immunoglobulins, and complement, effect of disodium cromoglycate (cromolyn) on: bronchoalveolar lavage in asthma (Diaz P et al), 41
eosinophil-rich human polymorphonuclear, preparations characteristically release leukotriene C_4 on ionophore A23187 challenge (Borgeat P et al), 310
human polymorphonuclear, nonsteroidal anti-inflammatory drugs stimulate 15-lipoxygenase/leukotriene pathway in (Vanderhoek JY et al), 412
functions, selective transduction of, by subsets of receptors for leukotriene B_4 (Goldman DW and Goetzl EJ), 373
preparations, heterogeneity in: effects on defining eicosanoid metabolism by human lymphocytes and monocytes (Goldyne ME), 331
sensitivity, increased, to phosphodiesterase inhibitors in atopic dermatitis: tachyphylaxis after theophylline therapy (Giustina TA et al), 252
Leukotrienes and lipoxygenases (Parker CW), 343
B_4 by unique subset of human T-lymphocytes, recognition of (Payan DG and Goetzl EJ), 403
selective transduction of human polymorphonuclear leukocyte functions by subsets of receptors for (Goldman DW and Goetzl EJ), 373
C, action and metabolism of circulating (Hammarström S et al), 358
synthetase, special glutathione S-transferase: properties of enzyme and inhibitor studies with special reference to mode of action of U-60,257, selective inhibitor of leukotriene synthesis (Bach MK et al), 353
C_4, decomposition of (Westcott JY et al), 363
on ionophore A23187 challenge, eosinophil-rich human polymorphonuclear leukocyte preparations characteristically release (Borgeat P et al), 310
effect of, on endothelium and transendothelial migration of neutrophils (Cramer EB et al), 386
/15-lipoxygenase pathway, nonsteroidal anti-inflammatory drugs stimulate, in human polymorphonuclear leukocytes (Vanderhoek JY et al), 412
5- and 15-series, on mechanism of biosynthesis of (Brash AR et al), 316
involvement in pathologic processes (Ford-Hutchinson AW), 437
peptide, release after antigen challenge in patients sensitive to ragweed, 19 (Abst.)
sulfidopeptide, lung tissue receptors for (Kuehl FA et al), 378
sulfidopeptide, molecular determinants for functional responses to: metabolism and receptor subclasses (Lewis RA and Austen KF), 369
Leukotrienes—cont'd
synthesis, properties of enzyme and inhibitor studies with special reference to mode of action of U-60,257, selective inhibitor of: leukotriene C synthetase, special glutathione S-transferase (Bach MK et al), 353
Lipoxygenase(s) and cyclooxygenase activities of platelet-depleted human monocytes (Pawlowski NA et al), 324
and leukotrienes (Parker CW), 343
arachidonate, and its new inhibitors (Yamamoto S et al), 349
evolution and future horizons of research on metabolism of arachidonic acid by 5- (Piper PJ), 441
/leukotriene pathway, nonsteroidal anti-inflammatory drugs stimulate 15-, in human polymorphonuclear leukocytes (Vanderhoek JY et al), 412
Lipoxygenation of arachidonic acid, human and murine natural killer cell activity may require (Seaman WE and Woodcock J), 407
Lowell memorial prize (Salvaggio JE and Franklin B), 781 (Special announcement)
Lung, budgerigar fancier's, 5 (Abst.)
dog, immunologic release of histamine from: comparison of in vivo and in vitro responses in same animal (Frey MJ et al), 728
lymphocytes, activated, in hypersensitivity pneumonitis (Mornex JF et al), 719
tissue receptors for sulfidopeptide leukotrienes (Kuehl FA et al), 378
Lupus nephritis, murine, suppression of, by administration of anti-idiotypic antibody to anti-DNA, 9 (Abst.)
Lymphocytes, activated lung, in hypersensitivity pneumonitis (Mornex JF et al), 719
and monocytes, human, effects on defining eicosanoid metabolism by: heterogeneity in leukocyte preparations (Goldyne ME), 331
human T, interleukin-2 regulates expression of its receptor and synthesis of gamma interferon by, 16 (Abst.)
normal and abnormal human, to mevalonic acid, DNA synthetic response of: role of granulocytes as helper population (Larson RA et al), 280
transformation test in diagnosis of nickel allergy: comparison between separation of peripheral blood lymphocytes on Ficoll-Paque, Percoll, or by gravity sedimentation, 17 (Abst.)
Lymphokines and immune (GAMMA) interferon in acquired immunodeficiency syndrome, impaired production of, 9 (Abst.)
Lymphoproliferative responses of T cell subsets to allergen and mitogen after hyposensitization in asthmatic children, changes of (Hsieh K-H), 34

M

Macrophages, alveolar, from asthmatic patients, secretion of chemotactic factor for neutrophils and eosinophils by (Gosset P et al), 827
-derived chemotactic factors and allergic asthma (Fowler AA and Schwartz LB), 777 (Editorial)
Maple, African, *(Triplochiton scleroxylon)* wood dust, asthma caused by (Hinojosa M et al), 782
Mast cells and basophils, purified human, inflammatory mediators and mechanisms of release from (Schleimer RP et al), 473
human cutaneous, gastrin induces histamine release from (Tharp MD et al), 159
rat peritoneal, calcium antagonists and histamine secretion from, 3 (Abst.)
secretion, mucosal, and peritoneal influence of endorphins on (Shanahan F et al), 499
Mastocytosis (Lewis RA), 755 (CME article)
Mechanisms and clinical implications, potential: bronchospastic responses to aerosolized metabisulfite in asthmatic subjects (Schwartz HJ and Chester EH), 511

Mechanisms—cont'd
inflammatory mediators of release from purified human basophils and mast cells (Schleimer RP et al), 473
Media, contrast, reactions (Greenberger PA), 600
-induced, radiographic contrast, noncardiogenic pulmonary edema: case report and review of literature (Borish L et al), 104 (Case report)
radiographic contrast, two pretreatment regimens for high-risk patients receiving (Greenberger PA et al), 540
Mediator(s), bronchoconstrictor, adenosine as, in asthma and its antagonism by methylxanthines (Holgate ST et al), 302 (Brief communication)
inflammatory, and mechanisms of release from purified human basophils and mast cells (Schleimer RP et al), 473
release, in vivo, correlations of, with late cutaneous allergic responses in humans. I. Kinetics of histamine release (Talbot SF et al), 819
Metabisulfite, aerosolized, bronchospastic responses to, in asthmatic subjects: potential mechanism and clinical implications (Schwartz HJ and Chester EH), 511
Metabolites, arachidonate, regulation of B-lymphocyte proliferative responses by: effects on membrane-directed versus intracellular activators (Goodman MG and Wiegle WO), 418
Metabolism and receptor subclasses: molecular determinants for functional responses to sulfidopeptide leukotrienes (Lewis RA and Austen KF), 369
arachidonic acid, its effects on, by cells in culture: eicosapentaenoic acid (Levine L and Worth N), 430
effects on defining eicosanoid, by human lymphocytes and monocytes: heterogeneity in leukocyte preparations (Goldyne ME), 331
of arachidonic acid by 5-lipoxygenase, evolution and future horizons of research on (Piper PJ), 441
Metabolites of arachidonic acid, regulation of epithelial electrolyte transport by (Field F et al), 382
Methacholine inhalation challenge in normal and asthmatic children, specificity and sensitivity of (Hopp RJ et al), 154
Methylxanthines, adenosine as bronchoconstrictor mediator in asthma and its antagonism by (Holgate ST et al), 302 (Brief communication)
Mevalonic acid, DNA synthetic response of normal and abnormal human lymphocytes to: role of granulocytes as helper population (Larson RA et al), 280
Microglobulin, β_2, and other immune characteristics in prospective study of men at risk for acquired immune deficiency syndrome, 22 (Abst.)
Milk cells, human, PPD-induced monocyte chemotactic factor production by, 23 (Abst.)
-sensitive and eosinophilic gastroenteropathy: similar clinical features with contrasting mechanisms and clinical course (Katz AJ et al), 72
Mite allergen DPT 12 in whole-mite extracts, quantitation and thermal stability of (Ackland J and Stewart GA), 848
Dermatophagoides pteronyssinus, common house dust, antigens and allergens from. Part I. Demonstration of multiple allergens by immunochemical and biologic analyses (Krilis S et al), 132
house dust, *Dermatophagoides farinae* and storage mite *Tyrophagus putrescentiae*, cross antigenic and allergenic properties of (Arlian LG et al), 172
storage, *Tyrophagus putrescentiae*, antigenic and allergenic properties of (Arlian LG et al), 166
Mitogen and allergen after hyposensitization in asthmatic children, changes of lympholiferative responses of T cell subsets to (Hsieh K-H), 34
Monocytes and lymphocytes, human, effects on defining eicosanoid metabolism by: heterogeneity in leukocyte preparations (Goldyne ME), 331
Monocytes—cont'd
chemotactic factor production, PPD-induced, by human milk cells, 23 (Abst.)
platelet-depleted human, cyclooxygenase and lipoxygenase activities of (Pawlowski NA et al), 324
Mosquito-cell culture fluids, sham vaccine prepared from, human hypersensitivity to (Scott R McN et al), 808
Mucosal and peritoneal mast cell secretion, influence of endorphins on (Shanahan F et al), 499
Murine and human natural killer cell activity may require lipoxygenation of arachidonic acid (Seaman WE and Woodcock J), 407
lupus nephritis, suppression of, by administration of anti-idiotypic antibody to anti-DNA, 9 (Abst.)

N

N-acetylcysteine infusion and paracetamol poisoning, asthma associated with, 1 (Abst.)
Namibian infants, rural, serum-IgE levels in (Heese HDV et al), 514
Nephritis, murine lupus, suppression of, by administration of anti-idiotypic antibody to anti-DNA, 9 (Abst.)
Neutrophils and eosinophils, secretion of chemotactic factor for, by alveolar macrophages from asthmatic patients (Gosset P et al), 827
chemotactic activity, exercise-induced late asthmatic reactions with, 1 (Abst.)
effect of leukotrienes on endothelium and transendothelial migration of (Cramer EB et al), 386
Nickel allergy, lymphocyte transformation test in diagnosis of: comparison between separation of peripheral blood lymphocytes on Ficoll-Paque, Percoll, or by gravity sedimentation, 17 (Abst.)
N'-methylhistamine, urinary, during early and late allergen-induced bronchial-obstructive reactions (Keyzer JJ et al), 240
Nonsteroidal anti-inflammatory drugs and aspirin, diagnosis, prevention, and treatment of adverse reactions to (Stevenson DL), 617

O

Oxygenation products of arachidonic acid, modulation of epidermal cell division and growth by (Kragballe K and Voorhees JJ), 426
third messengers for insulin release (Metz SA et al), 391

P

Paper (1983), heat-activated photocopy, hypersensitivity angiitis caused by fumes from, 2 (Abst.)
Papain enzyme contained in contact lens cleansing solution, local ocular anaphylaxis to (Bernstein DI et al), 258
Paracetamol poisoning and N-acetylcysteine infusion, asthma associated with, 1 (Abst.)
Pathogenesis of some cases of human glomerulonephritis, do food antigens play role in? 6 (Abst.)
prostaglandin-kinin: bronchospasm during pelvic surgery? 3 (Abst.)
Pathogenetic fungi, exposures to, in voluntary hospital (Schwartz HJ et al), 861 (Correspondence)
Pathologic processes, leukotriene involvement in (Ford-Hutchinson AW), 437
Pelvic surgery, bronchospasm during: prostaglandin-kinin pathogenesis? 3 (Abst.)
Penicillin(s) allergy (Sogn DD), 589
semisynthetic, in cystic fibrosis, allergy to, 25 (Abst.)
Pentapeptide, human IgE, safety and efficacy of, 13 (Abst.)
Peptide(s) and histamine release (Foreman JC and Piotrowski W), 127 (Editorial)
leukotriene release after antigen challenge in patients sensitive to ragweed, 19 (Abst.)

Peritoneal and mucosal mast cell secretion, influence of endorphins on (Shanahan F et al), 499
mast cells, rat, calcium antagonists and histamine secretion from, 3 (Abst.)
PGF_2 on airway function in asthmatic subjects, novel effects of, 21 (Abst.)
Phencyclidine-induced immunodepression, 26 (Abst.)
Phenotypes, adenosine deaminase: genetic basis for heterogeneity of asthma syndrome in pediatric ages (Ronchetti R et al), 81
Photocopy paper (1983), heat-activated, hypersensitivity angiitis caused by fumes from, 2 (Abst.)
Phosphodiesterase inhibitors in atopic dermatitis, increased leukocyte sensitivity to: tachyphylaxis after theophylline therapy (Giustina TA et al), 252
Phototherapy, ultraviolet-A, in prophylaxis of solar urticaria, 10 (Abst.)
Placebo-controlled trial, double-blind: clinical and immunologic evaluation of tyrosine-adsorbed *Dermatophagoides pteronyssinus* extract (Pauli G et al), 524
Plant parts, short ragweed, association with various particle sizes and: airborne ragweed allergens (Agarwal MK et al), 687
Plasma histamine and catecholamines during carbachol-induced bronchoconstriction in normal subjects (Macquin I et al), 292
Platelet-depleted human monocytes, cyclooxygenase and lipoxygenase activities of (Pawlowski NA et al), 324
factor 4, release of, into blood after cold challenge of patients with cold urticaria (Wasserman SI and Ginsberg MH), 275
Pneumonitis, hypersensitivity (Fink JN), 1 (CME article)
hypersensitivity, activated lung lymphocytes in (Mornex JF et al), 719
in rabbits. Modulation of pulmonary inflammation by long-term aerosol challenge with antigen (Wilson BD et al), 180
Poisoning, paracetamol and N-acetylcysteine infusion, asthma associated with, 1 Abst.)
Pollen allergen, uncovering the "fine details" of (Solomon WR), 674 (Editorial)
Pollinosis, aerobiology by (Solomon WR), 449 (CME article)
Polymorphonuclear leukocyte chemoluminescence response, human, influenza A virus enhances, without effecting inhibition by trifluoperazine (Peterson MW and Busse WW), 787
human, eosinophil rich, preparations characteristically release leukotriene C_4 on ionophore A23187 challenge (Borgeat P et al), 310
functions selective transduction of, by subsets of receptors for leukotriene B_4 (Goldman DW and Goetzl EJ), 373
nonsteroidal anti-inflammatory drugs stimulate 15-lipoxygenase/leukotriene pathway in (Vanderhoek JY et al), 412
Polyposis, nasal, in chimpanzee (Jacobs RL et al), 61
PPD-induced monocyte chemotactic factor production by human milk cells, 23 (Abst.)
Presidents of societies, list of, 747
Procainamide, autoallergic reactions induced by (Tan EM and Rubin RL), 631
Promethazine hydrochloride, oral, in ethylenediaminetetraacetic acid-sensitive patients, 12 (Abst.)
Prophylaxis of solar urticaria, ultraviolet-A phototherapy in, 10 (Abst.)
Prostaglandin-kinin pathogenesis: bronchospasm during pelvic surgery? 3 (Abst.)
Proteins: chymopapain and insulin (Grammer LC and Patterson R), 635
Psyllium ingestion, anaphylaxis following (Zaloga GP et al), 79
Pulmonary edema, radiographic contrast media-induced noncardiogenic: case report and review of literature (Borish L et al), 104 (Case report)
Pulmonary edema—cont'd
inflammation by long-term aerosol challenge with antigen, modulation of. Hypersensitivity pneumonitis in rabbits (Wilson BD et al), 180

Q

Quantitation and thermal stability of mite allergen DPT 12 in whole-mite extracts (Ackland J and Stewart GA), 848
of β_2-microglobulin and other immune characteristics in prospective study of men at risk for acquired immune deficiency syndrome, 22 (Abst.)

R

Radiographic contrast media-induced noncardiogenic pulmonary edema: case report and review of literature (Borish L et al), 104 (Case report)
two pretreatment regimens for high-risk patients receiving (Greenberger PA et al), 540
Radioimmunoelectrophoresis, crossed, identification of major IgE-binding antigens by. Part II. Antigens and allergens from common house dust mite *Dermatophagoides pteronyssinus* (Krilis S et al), 142
Radioligand binding analysis, demonstration that circulating human blood cells have no detectable $alpha_1$-adrenergic receptors by (Casale TB and Kaliner M), 812
Radiological contrast agents, release of histamine from human basophils by, 4 (Abst.)
Ragweed allergens, airborne: association with various particle sizes and short ragweed plant parts (Agarwal MK et al), 687
peptide leukotriene release after antigen challenge in patients sensitive to, 19 (Abst.)
-pollen determinants in submicronic atmospheric fractions. II. Allergen carriage by atmospheric aerosol (Habenicht HA et al), 64
RAST, skin tests, and double-blind, placebo-controlled food challenges in children with atopic dermatitis, comparison of results of (Sampson HA and Albergo R), 26
Reactions, acute dialysis, IgE against ethylene oxide-altered human serum albumin in patients who have had (Grammer LC et al), 544
adverse drug: magnitude of problem (Jick H), 555
management of (Sheffer AL and Pennoyer DS), 580
to aspirin and nonsteroidal anti-inflammatory drugs, diagnosis, prevention, and treatment of (Stevenson DL), 617
drug additives (Simon RA), 623
local anesthetics, skin testing and incremental challenge in evaluation of (Schatz M), 606
allergic, to antimicrobial agents: review of reactions to drugs not in beta lactam antibiotic class (Sullivan TJ), 594
to new drugs, early recognition of (Patterson R), 641
autoallergic, induced by procainamide (Tan EM and Rubin RL), 631
contrast media (Greenberger PA), 600
drug, allergic and pseudoallergic, clinical spectrum of (Mathews KP), 558
exercise-induced late asthmatic, with neutrophil chemotactic activity, 1 (Abst.)
large local, after Hymenoptera stings in children, prospective study of natural history of, 13 (Abst.)
natural history of large local, from stinging insects (Mauriello PM et al), 494
systemic allergic, following immunizatopm with HDCV, 24 (Abst.)
Receptor(s), $alpha_1$-adrenergic, demonstration that circulating human blood cells have no detectable, by radioligand binding analysis (Casale TB and Kaliner M), 812
and synthesis, its, of gamma interferon by human T-lymphocytes, interleukin-2 regulates expression of, 16 (Abst.)
beta-adrenergic, and asthma, autoantibodies to (Fraser CM and Venter JC), 227 (Editorial)

Receptor(s)—cont'd
for leukotriene B_4, selective transduction of human polymorphonuclear leukocyte functions by subsets of (Goldman DW and Goetzl EJ), 373
lung tissue, for sulfidopeptide leukotrienes (Kuehl FA et al), 378
subclasses and metabolism: molecular determinants for functional responses to sulfidopeptide leukotrienes (Lewis RA and Austen KF), 369
Release from purified human basophils and mast cells, inflammatory mediators and mechanisms of (Schleimer RP et al), 473
Respiratory symptoms in ispaghyla-allergic nurses after oral challenge with ispaghula suspension, 14 (Abst.)
Response(s), B-lymphocyte proliferative, regulation of, by arachidonate metabolites: effects on membrane-directed versus intracellular activators (Goodman MG and Wiegle WO), 418
bronchospastic, to aerosolized metabisulfite in asthmatic subjects: potential mechanisms and clinical implications (Schwartz HJ and Chester EH), 511
diminished contact sensitivity, in vitiliginous skin, 22 (Abst.)
human polymorphonuclear leukocyte chemoluminescence, influenza A virus enhances, without effecting inhibition by trifluoperazine (Peterson MW and Busse WW), 787
in vivo and in vitro, double-blind trial with evaluation of. Immunotherapy in cat-induced asthma (Ohman JL et al), 230
late cutaneous allergic, in humans, correlations of in vivo mediator release with. I. Kinetics of histamine release (Talbot SF et al), 819
secondary, of actively immunized rats, feeding of antigen reduces antigen-binding actively and blunts (Bloch KJ et al), 482
specific-IgE, heterogeneity of, in workers sensitized to acid anhydride compounds (Bernstein DI et al), 794
Responsiveness, decreased airway, to histamine in gold salt–treated guinea pigs (Yamauchi N et al), 802

S

Salbutamol, inhaled, in hyperthyroid and hypothyroid patients before and after treatment, airway response to, 15 (Abst.)
Schizophrenia and corticosteroid-dependent asthma, 15 (Abst.)
Secretion of chemotactic factor for neutrophils and eosinophils by alveolar macrophages from asthmatic patients (Gosset P et al), 827
Sedimentation, gravity, comparison between separation of peripheral blood lymphocytes on Ficoll-Paque, Percoll, or by: lymphocyte transformation test in diagnosis of nickel allergy, 17 (Abst.)
Sensitivity, diminished contact, response in vitiliginous skin, 22 (Abst.)
Serum(s) albumin, ethylene oxide-altered human, IgE against, in patients who have had acute dialysis reactions (Grammer LC et al), 544
bronchial lavage, and bronchoalveolar lavage of asthmatic patients, total and specific IgE in, 11 (Abst.)
IgE as important aid in management of allergic bronchopulmonary aspergillosis (Ricketti AJ et al), 68
IgE levels in rural Namibian infants (Heese HDV et al), 514
immunologic observations in, of patient with allergic bronchopulmonary aspergillosis by means of enzyme-linked immunosorbent assay (Kauffman HF et al), 741
uric acid levels, theophylline increases (Morita Y et al), 707
Serologic evidence of human T cell leukemia virus infection of donors: transfusion-associated AIDs, 18 (Abst.)
Sinus disease, chronic, with associated reactive airway disease in children, 24 (Abst.)
Sinusitis, bacterial, and asthma in children (Friedman R et al), 185
Skin disease, drug-induced (Kaplan AP), 573
Skin and incremental challenge in evaluation of adverse reactions to local anesthetics (Schatz M), 606
Skin disease—cont'd
delayed hypersensitivity, comparison between streptokinase/streptodornase and streptokinase on (Haverly RW et al), 205
tests, RAST, and double-blind, placebo-controlled food challenges in children with atopic dermatitis, comparison of results of (Sampson HA and Albergo R), 26
vitiliginous, diminished contact sensitivity response in, 22 (Abst.)
Snow crab–processing workers, occupational asthma in (Cartier A et al), 261
Sodium cromoglycate pressurized aerosol, treatment of asthma in adults using: double-blind controlled trial, 11 (Abst.)
Solar urticaria, ultraviolet-A phototherapy in prophylaxis of, 10 (Abst.)
Specific-IgE responses, heterogeneity of, in workers sensitized to acid anhydride compounds (Bernstein DI et al), 794
Spotlight on asthma and allergy (Adler RJ), 307 (Correspondence)
Stability, thermal, and quantitation of mite allergen DPT 12 in whole-mite extracts (Ackland J and Stewart GA), 848
Stings, Hymenoptera, in children, prospective study of natural history of large local reactions after, 13 (Abst.)
Stomatitis, recurrent aphthous, IgE and IgD concentrations in patients with, 2 (Abst.)
Storage mite *Tyrophagus putrescentiae* and house dust mite *Dermatophagoides farinae*, cross antigenic and allergenic properties of (Arlian LG et al), 172
S-transferase, special glutathione, leukotriene C synthetase: properties of enzyme and inhibitor studies with special reference to mode of action of U-60,257, selective inhibitor of leukotriene synthesis (Bach MK et al), 353
Streptodornase/streptokinase and streptokinase on delayed hypersensitivity skin testing, comparison between (Haverly RW et al), 205
Streptokinase/streptodornase and streptokinase on delayed hypersensitivity skin testing, comparison between (Haverly RW et al), 205
Sulfidopeptide leukotrienes, lung tissue receptors for (Kuehl FA et al), 378
molecular determinants for functional responses to: metabolism and receptor subclasses (Lewis RA and Austen KF), 369
Sulfites and asthma (Stevenson DD and Simon RA), 469 (Editorial)
in isoetharine, dose-dependent bronchospasm from, 8 (Abst.)
Syndrome, acquired immune deficiency, quantitation of β_2-microglobulin and other immune characteristics in prospective study of men at risk for, 22 (Abst.)
asthma, in pediatric ages, genetic basis for heterogeneity of: adenosine deaminase phenotypes (Ronchetti R et al), 81
Synthesis and receptor, its, of gamma interferon by human T-lymphocytes, interleukin-2 regulates expression of, 16 (Abst.)
leukotriene, properties of enzyme and inhibitor studies with special reference to mode of action of U-60,257, selective inhibitor of: leukotriene C synthetase, special glutathione S-transferase (Bach MK et al), 353
Synthetase, leukotriene C, special glutathione S-transferase: properties of enzyme and inhibitor studies with special reference to mode of action of U-60,257, selective inhibitor of leukotriene synthesis (Bach MK et al), 353

T

Tachyphylaxis after theophylline therapy: increased leukocyte sensitivity to phosphodiesterase inhibitors in atopic dermatitis (Giustina TA et al), 252
T cell leukemia virus, human, infection of donors, serologic evidence of: transfusion-associated AIDS, 18 (Abst.)

T cell leukemia virus—cont'd
subsets to allergen and mitogen after hyposensitization in asthmatic children, changes of lymphoproliferative responses of (Hsieh K-H), 34
Testing, skin, and incremental challenge in evaluation of adverse reactions to local anesthetics (Schatz M), 606
delayed hypersensitivity, comparison between streptokinase/streptodornase and streptokinase on (Haverly RW et al), 205
Tetanus toxoid, use of, for testing cell-mediated immunity, 3 (Abst.)
Theophylline increases serum uric acid levels (Morita Y et al), 707
therapy, tachyphylaxis after: increased leukocyte sensitivity to phosphodiesterase inhibitors in atopic dermatitis (Giustina TA et al), 252
Thyroid autoimmunity, association of chronic urticaria and angioedema with, 21 (Abst.)
Tissue, lung, receptors for sulfidopeptide leukotrienes (Kuehl FA et al), 378
T-lymphocytes, human, interleukin-2 regulates expression of its receptor and synthesis of gamma interferon by, 16 (Abst.)
recognition of leukotriene B_4 by unique subset of (Payan DG and Goetzl EJ), 403
subpopulations after antigenic bronchial provocation in asthmatics, changes in, 7 (Abst.)
TMPTA (trimethylolpropane triacrylate) in aziridine plastic hardener, 9 (Abst.)
Toxoid, tetanus, use of, for testing cell-mediated immunity, 3 (Abst.)
Transduction, selective, of human polymorphonuclear leukocyte functions by subsets of receptors for leukotriene B_4 (Goldman DW and Goetzl EJ), 373
Transendothelial migration and endothelium of neutrophils, effect of leukotrienes on (Cramer EB et al), 386
Transplantation, transfer of latent atopy by bone marrow? Case report (Saarinen UM), 196
Trifluoperazine, influenza A virus enhances human polymorphonuclear leukocyte chemoluminescence response without effecting inhibition by (Peterson MW and Busse WW), 787
Triploxhiton scleroxylon (African maple), wood dust, asthma caused by (Hinojosa M et al), 782
Trimethylolpropane triacrylate (TMPTA), contact allergy to, in aziridine plastic hardener, 9 (Abst.)
Tyrophagus putrescentiae, storage mite, and house dust mite *Dermatophagoides farinae*, cross antigenic and allergenic properties of (Arlian LG et al), 172
antigenic and allergenic properties of (Arlian LG et al), 166
Tyrosine-adsorbed *Dermatophagoides pteronyssinus* extract, clinical and immunologic evaluation of: double-blind placebo-controlled trial (Pauli G et al), 524

U

Ultraviolet-A phototherapy in prophylaxis of solar urticaria, 10 (Abst.)
Uric acid levels, serum, theophylline increases (Morita Y et al), 707
Urticaria, allergic contact, caused by raw prawns and shrimps: three cases (Nagano T et al), 489
and vasculitis: continuum of histologic and immunopathologic changes, 23 (Abst.)
chronic, and angioedema, association of, with tyroid autoimmunity, 21 (Abst.)
cold, release of platelet factor 4 into blood after cold challenge of patients with (Wasserman SI and Ginsberg MH), 275
solar, ultraviolet-A phototherapy in prophylaxis of, 10 (Abst.)

V

Vaccine, sham, human hypersensitivity to, prepared from mosquito-cell culture fluids (Scott RMcN et al), 808
Vasculitis and urticaria: continuum of histologic and immunopathologic changes, 23 (Abst.)
Venom, *Vespula maculifrons* (yellow jacket), isolation of protein allergens from. Allergens in Hymenoptera venom XI (Hoffman DR and Wood CL), 93
Vespula maculifrons (yellow jacket) venom, isolation of protein allergens from. Allergens in Hymenoptera venom XI (Hoffman DR and Wood CL), 93
Virus, hepatitis B, induced by injecting antibodies to idiotype, antibody to, 2 (Abst.)
human T cell leukemia, infection of donors, serologic evidence of: transfusion-associated AIDS, 18 (Abst.)
influenza A, enhances human polymorphonuclear leukocyte chemoluminescence response without effecting inhibition by trifluoperazine (Peterson MW and Busse WW), 787
Vitiliginous skin, diminished contact sensitivity response in, 22 (Abst.)

Y

Yellow jacket venom, *Vespula maculifrons*, isolation of protein allergens from. Allergens in Hymenoptera venom XI (Hoffman DR and Wood CL), 93